

III. CLAIM AMENDMENTS

1. (Currently Amended) A portable, foldable electronic device (1) comprising having an opened use position and a closed use position, said device comprising at least:

— a first housing part ~~(6) comprising~~ having at least an inner wall (62),

— a second housing part ~~(9) comprising~~ having at least an inner wall (92),

— a hinge mechanism ~~(36) arranged~~ adapted to fold the first and the second housing parts (6, 9) into the closed use position in relation to each other for a first use position, wherein the inner walls (62, 92) are against each other, and remaining between the housing parts (6, 9), and to fold said first and second housing parts in the opened use position for a second use position, wherein the inner walls (62, 92) are adjacent to each other, and wherein the device (1) can also be used on the side of the inner walls (62, 92),

~~characterized in that the device (1) also comprises at least:~~

— a third housing part ~~(2), to which the first and the second housing parts (6, 9) are attached by means of said hinge mechanism (36) in such a way that they the first and the second housing parts are simultaneously folded in relation to the third housing part (2) as well, when the device (1) is opened in said second use position and closed in said first use position,~~

wherein the first and the second housing parts placed against each other are arranged, upon closing in said first use position, to partly move inside the third housing part to reduce the outer dimensions of the device, and

wherein the first and the second housing parts are arranged to move away from the third housing part before opening in opposite directions in said second use position.

2. (Currently Amended) A ~~The device (1)~~ according to claim 1, **characterized** ~~in that wherein the device further comprises first electronic display means arranged on the inner wall of the first and/or the second housing part, and second electronic display means arranged in the third housing part~~ the first and the second housing parts (6, 9) are arranged to move away from the third housing part (2) before opening in opposite directions, and that the first and the second housing parts (6, 9) placed against each other are arranged, upon closing, to partly move inside the third housing part (2) to reduce the outer dimensions of the device (1).

3. (Currently Amended) ~~The D~~device according to claim 2, **characterized** ~~in that wherein, in its said closed use position, the housing parts (2, 6, 9) constitute a substantially integrated, rigid housing-like structure.~~

4. (Currently Amended) A ~~The device (1)~~ according to claims 1, **characterized** ~~in that it wherein the device further comprises:~~

first electronic display means ~~(81, 82)~~ arranged on the inner wall ~~(62, 92)~~ of the first and/or second housing part ~~(6, 9)~~,

~~and also~~ second electronic display means ~~(11)~~ arranged in the third housing part ~~(2)~~, and

~~further~~ a set of electronic keys ~~(3, 4, 5)~~ arranged in the third housing part ~~(2)~~, which electronic keys are arranged to control the functions of the device ~~(1)~~ and the information displayed on the first and the second display means ~~(11, 81, 82)~~ at the same time when the device is held at the third housing part ~~(2)~~.

5. (Currently Amended) A ~~The~~ device ~~(1)~~ according to claim 4, **characterized** ~~in that wherein~~ the first display means ~~(81, 82)~~ comprise a uniform, foldable electronic display ~~(8)~~ placed on the inner walls ~~(62, 92)~~ of the first and second housing parts ~~(6, 9)~~ and arranged for displaying information, texts and images in at least two different orientations for a vertical and a horizontal position of the device ~~(1)~~.

6. (Currently Amended) The device ~~(1)~~ according to claim 1, **characterized** ~~in that wherein~~ in its ~~the~~ opened use position, the ~~handle-like~~ third housing part ~~(2)~~, which is arranged for holding the device ~~(1)~~ when ~~it~~ ~~the~~ device is closed and opened, is on the opposite side of the device ~~(1)~~ in relation to the inner walls ~~(62, 92)~~, extending in a direction which is perpendicular to said inner walls.

7. (Currently Amended) ~~The~~ ~~D~~device ~~(1)~~ according to claim 1, **characterized** ~~in that wherein~~ in its ~~the~~ opened use position, the inner walls ~~(62, 92)~~ are parallel and placed adjacent to each other to form a uniform inner wall.

8. (Currently Amended) ~~The~~ ~~D~~device ~~(1)~~ according to claim 1, **characterized** ~~in that wherein~~ one of the housing parts ~~(2, 6, 9)~~ is provided with electronic image sensor means for still and/or video images.

9. (Currently Amended) A ~~The~~ device ~~(1)~~ according to claim 8, **characterized** ~~in that the wherein~~ the electronic image sensor means comprise a turnable camera arm ~~(18)~~ extending from the third housing part ~~(2)~~ in between the first and the second housing parts ~~(6, 9)~~, provided with a space ~~(34, 35)~~ and a transparent housing ~~(32, 33)~~ for the camera arm ~~(18)~~ and to protect ~~it~~ ~~the~~ camera arm.

10. (Currently Amended) A ~~The device (1)~~ according to claim 1, **characterized** ~~in that wherein~~ the hinge mechanism ~~(36)~~ comprises:

a hinge system ~~(39)~~ arranged for folding the first and the second housing parts ~~(6, 9)~~ in relation to each other and in relation to the third housing part (2),

an ejector mechanism ~~(37)~~ arranged to ~~eject~~ move the first and the second housing parts ~~(6, 9)~~ ~~wholly~~ and the hinge system ~~(39)~~ ~~partly away~~ from the third housing part ~~(2)~~ upon opening, and

an unfolding mechanism ~~(38)~~ arranged to assist in the opening of the first and the second housing parts ~~(6, 9)~~.

11. (Currently Amended) The Ddevice (1) according to claim 71, **characterized** ~~in that wherein~~ the first and the second housing parts ~~(6, 9)~~ are arranged to turn around ~~such a~~ joint rotation axis ~~(C)~~ which is placed between said housing parts ~~(6, 9)~~ and in the same plane with their inner walls ~~(62, 92)~~.

12. (Currently Amended) The Ddevice (1) according to claim 1, **characterized** ~~in that it wherein~~ the device is a communication device comprising at least a ~~CMT~~ cellular mobile telephone user interface which is available in the closed use position of the device ~~(1)~~, and at least a PDA user interface which is available in the opened use position of the device ~~(1)~~.

13-14. (Cancelled)

15. (New) Portable, foldable electronic device comprising an opened use position and a closed use position, said device comprising at least:

a first housing part comprising at least an inner wall,

a second housing part comprising at least an inner wall,

a hinge mechanism arranged to fold the first and the second housing parts in the closed use position in relation to each other for a first use position, wherein the inner walls are against each other, remaining between the housing parts, and in the opened use position for a second use position, wherein the inner walls are adjacent to each other, and wherein the device can also be used on the side of the inner walls,

a third housing part, to which the first and the second housing parts are attached by means of said hinge mechanism in such a way that the first and the second housing parts are simultaneously folded in relation to the third housing part, when the device is opened in said second use position and closed in said first use position,

first electronic display means arranged on the inner wall of the first and/or second housing part,

second electronic display means arranged in the third housing part, and

a set of electronic keys arranged in the third housing part, wherein the electronic keys are arranged to control the functions of the device and the information displayed on the first and the second display means at the same time when the device is held at the third housing part.